



# Work Health & Safety (WHS) Policy Manual Temporary Workers

V1.2 - March 2024

# Work Health and Safety Policy Manual

Welcome to the Rarekind People Work Health and Safety (WHS) Policy Manual. We are very pleased to have you as part of our team. We understand that there is a lot of information to take in and remember, so we have developed this manual for your reference. In this manual you will find details of all of our work health and safety policies and procedures in compliance with the Work Health and Safety Act (2011) and accompanying Regulation.

The Work Health and Safety Act and accompanying Regulation were established with the following objectives (as sourced directly from the Act):

- a) protecting workers and other persons against harm to their health, safety and welfare through the elimination or minimisation of risks arising from work or from specified types of substances or plant;
- b) providing for fair and effective workplace representation, consultation, co-operation and issue resolution in relation to work health and safety;
- encouraging unions and employer organisations to take a constructive role in promoting improvements in work health and safety practices, and assisting persons conducting businesses or undertakings and workers to achieve a healthier and safer working environment;
- d) promoting the provision of advice, information, education and training in relation to work health and safety;
- e) securing compliance with this Act through effective and appropriate compliance and enforcement measures;
- ensuring appropriate scrutiny and review of actions taken by persons exercising powers and performing functions under this Act;
- g) providing a framework for continuous improvement and progressively higher standards of work health and safety; and
- h) maintaining and strengthening the national harmonisation of laws relating to work health and safety and to facilitate a consistent national approach to work health and safety in this jurisdiction.

### While at work, you must:

- a) take reasonable care for your own health and safety, and
- b) take reasonable care that your acts or omissions do not adversely affect the health and safety of other persons, and
- c) comply, so far as you are reasonably able, with any reasonable instruction that is given by the person conducting the business or undertaking to allow the person to comply with this Act, and
- d) co-operate with any reasonable policy or procedure of the person conducting the business or undertaking relating to health or safety at the workplace that has been notified to workers.

This manual covers contractual workers (Temporary Workers) only. The detail included and overall effort in developing this package is aimed at assisting you to settle in quickly, and ensure your safety while on the job. Please refer to this manual regularly.



It is also to impress upon you the need for you to obtain information relevant to each temporary work assignment. Rarekind People will take all reasonable steps to ensure that the Host Employer you are assigned to provides relevant and accurate information about and safety measures for the role and the worksite. You must notify Rarekind People immediately if your work environment and/or the tasks to be performed change during the course of your assignment.

At Rarekind People, we are obliged to maintain a high level of professional conduct that is expected by both the business community and the general public. All workers should refrain from displaying any conduct that might be regarded as discreditable and/or dangerous to both themselves and to Rarekind People.

The information contained in this manual is designed to supplement other key documents and information including:

- (a) Your Letter of Offer (Temporary Employment Agreement) which must be signed or acknowledged via email by you as soon as practical with a copy being retained by you and by Rarekind People; and
- (b) Rarekind People Human Resources Policy Manual a document you must also read and acknowledge you have read on accepting a role with Rarekind People.



# Table of contents

1	Rarek	ind People Work Health and Safety Policy	5
	1.1	Overview	5
	1.2	Consultation	6
	1.3	Fatigue Management	6
	1.4	Alcohol and Other Drugs	8
	1.5	Audiometric Testing – NSW Workers Only	10
	1.6	Smoking	12
	1.7	Risk Management	12
	1.8	Accident, Incident and Investigation	13
	1.9	Workers Compensation and Injury Management	14
Workp	lace Sa	fety for all Temporary Workers	15
	1.10	Workplace Signage	15
	1.11	Manual Handling	15
	1.12	Electrical Safety	15
	1.13	Slips, Trips and Falls	15
Workp	lace Sa	fety for Commercial/Administrative Temporary Workers	16
	1.14	Manual Handling in the Office	16
	1.15	Office Ergonomics	16
Workp	lace Sa	fety for Industrial/Trade Temporary Workers	16
	1.16	Danger Tags	16
	1.17	Clothing	16
	1.18	Head and Eye Protection	16
	1.19	Noise Protection	16
	1.20	Foot Protection	17
	1.21	Skin Protection	17
	1.22	Respiratory Infection	17
	1.23	Plant and Equipment	17
	1.24	Mobile Plant and Equipment	17
	1.25	Hazardous Substances	17
	1.26	Confined Spaces	18
	1.27	Work at Heights	18
	1.28	Outdoor Work	18



1.29	Hot Work	18
1.30	Excavation	18
1.31	Thermal Stress	18



# 1 Rarekind People Work Health and Safety Policy

## 1.1 Overview

Policy	Rarekind People is committed to providing a safe and healthy place of work for all its workers and visitors. Rarekind People believes that most incidents which cause injury or ill-health to persons or damage or loss to property can be prevented and will, therefore, make every reasonable effort to prevent incidents through a risk management approach to promote a safe and healthy working environment.  In fulfilling this commitment, Rarekind People will make available appropriate resources to ensure that it complies in all respects with relevant legislation and standards. In order to ensure continual progress towards the optimal working environment, management and Workers need to interact harmoniously and proactively.
What is Work Health and Safety all about?	Work Health and Safety (WHS) is essentially about caring for people in the workplace and involves:
	Employers carrying out their duty of care to their workers; and
	<ul> <li>Workers caring for themselves and fellow workers, and observing and respecting all requirements relating to health and safety.</li> </ul>
Responsibilities	Your Employer:
	Rarekind People, as your recruitment consultancy firm and employer, is required to comply with applicable WHS laws, implement policies and procedures, assess risks and ensure appropriate controls are put in place.
	Your Host Employer:
	The Host Employer has a clear obligation to provide on-hired workers with appropriate information, supervision and training to enable them to work safely.
	The Host Employer is not to change the nature of the job without the approval of Rarekind People and the Worker.
	Your Host Employers should maintain safe systems of work, equipment, materials and supply any specialised protective equipment that may be required.
	Rarekind People Temporary Workers will:
	<ul> <li>Take care of their safety and that of their fellow workers to the extent of their capability, by following all safety rules, procedures and instructions;</li> </ul>
	Support the aims and objectives of safety programs;
	Undertake all duties in a safe manner;
	<ul> <li>Use the aids provided which have been introduced for their protection; and</li> </ul>
	Immediately report hazards, near misses and equipment damage.
Implementing the policy	This Policy will be carried out through a WHS Program, which involves:
	1. Active involvement and commitment of Rarekind People's Consultants
	Identification and control of hazards
	3. Reporting and investigation of all incidents
	<ol> <li>Participation of, and consultation with, Temporary Workers on safety matters of significance</li> </ol>
	<ol><li>Provision of First Aid and emergency procedures, so far as reasonably practical</li></ol>
	6. Provision of information, training and supervision, as necessary, for safety



Resolving WHS Issues	Host Employer supervisors and safety committees will normally deal with most safety problems when safety issues are raised. Rarekind People has an established WHS committee where all safety concerns and issues are raised and actioned. Temporary Workers are to advise their consultant or a member of the WHS committee directly with any identified hazard, safety concern, injury, incident or near miss. This concern will be assessed and actioned accordingly. Consultation with the Worker will occur before the process, throughout the process, and when the issue is resolved. The matter will be reviewed regularly to ensure the ongoing safety of the worker and others.
Review	This policy will be reviewed when required by changes in legislation, or every two years. If altered, workers will be consulted and notified of changes.  Ideas, initiatives or suggestions are invited from all workers so that development of a safe work environment can continue.

### 1.2 Consultation

Policy	Rarekind People is committed to protecting the health and safety of all workers. Workplace injury and illness is preventable and costly, not just in monetary terms, but it also impacts on worker morale, productivity and customer service. It is the policy of Rarekind People to consult with our Temporary Workers when implementing safety practices and systems that will ensure their health, safety and welfare. Worker involvement at all levels is critical for ensuring the effectiveness of the safety management system.	
Consultation	The Work Health and Safety Act 2011 requires consultation be undertaken in the following circumstances:  a) when identifying hazards and assessing risks to health and safety arising from the work carried out or to be carried out by the business or undertaking,  b) when making decisions about ways to eliminate or minimise those risks,  c) when making decisions about the adequacy of facilities for the welfare of workers,  d) when proposing changes that may affect the health or safety of workers,  e) when making decisions about the procedures for:  • consulting with workers, or  • resolving work health or safety issues at the workplace, or  • monitoring the health of workers, or  • monitoring the conditions at any workplace under the management or control of the person conducting the business or undertaking, or  • providing information and training for workers, or  • when carrying out any other activity prescribed by the regulations for the purposes of this section.	

# 1.3 Fatigue Management

Policy	Rarekind People is committed to the provision and maintenance of a safe system of work for all its workers, including those who work on shift work, work longer than eight hours per shift and work outdoors.	
Purpose	To introduce a program for fatigue management to ensure that risks associated with fatigue are minimised.	



	To ensure compliance with the Work Health and Safety Act 2011 and accompanying Regulations, and any other relevant legislation such as the Rail Safety Act 2002 in relation to Fatigue Management.
	To ensure all workers are aware of risks associated with fatigue and are aware of how to assess, manage and control risks associated with fatigue in the workplace.
	To explain how these factors and the way work is designed can be improved to address and reduce the risk of fatigue in the workplace.
Responsibilities	Both Rarekind People and its workers have a shared responsibility to avoid fatigue related performance impairment.
	Rarekind People will ensure that, in the context of the performance required, worker rosters allow adequate breaks for recovery between shifts.
	<b>Temporary Workers</b> have a duty of care to ensure adequate sleep is obtained between shifts and out of hours activities do not cause fatigue or impair performance.
	When this is the case, workers have a further responsibility to report the matter to their supervisor/manager. At no time should a worker put themselves or others at risk.
Managing Fatigue Risks	With the objectives of Rarekind People and our Host Employer's policies in mind, Rarekind People will ensure appropriate risk assessment tools are utilised to measure, control and monitor the risks associated with fatigue. In addition, control strategies will be reviewed and audited to ensure compliance with Occupational Health and Safety requirements.
Causes of Fatigue	Fatigue may arise from both work and non-work related activities and can have an effect on an worker's state of alertness with consequential impacts on worker work performance and wellbeing. There are several types of work related fatigue that may be induced by the work environment, the work task or sleep patterns. Specifically, hazards may include, but are not limited to: falling asleep at work, poor communication at work, neglecting safety requirements and falling asleep on the way home from work.  Fatigue can be caused by work-related factors, factors outside work and/or a combination of both, and may accumulate over time.
Work-related factors	roster patterns
	length of shifts
	poor work scheduling and planning
	length of time worked
	timing of shifts (e.g. night shift)proportionally increases the impact of fatigue
	insufficient recovery time between shifts
	long periods of time awake
	harsh environmental conditions
	type of work being undertaken (e.g. under-demand/over-demand)
	<ul><li>mentally or physically demanding work</li><li>inadequate rest breaks</li></ul>
Factors outside and	
Factors outside work	poor quality of sleep
	sleep loss     social life
	family needs
	other employment
	travel time
	sleep disorders
Effects of Fatigue	The effects of fatigue on health and work performance can be short term and long term.



	Effects on an individual include impaired work performance and include:
	increase error rates
	slow reaction times
	increase the likelihood of accidents and injuries
	micro-sleeps
Preventing Fatigue in	Preventing and reducing fatigue may lead to:
the Workplace	better health and safety outcomes
	fewer workplace incidents and injuries
	reductions in absenteeism and staff turnover
	better performance and productivity
Fatigue Management	The fatigue management program is designed to provide:
Program	For safe hours of work;
	For safe periods of time between shifts;
	Specific work scheduling practices that provide for sufficient workers to be available to meet reasonably foreseeable demands; and
	Procedures for monitoring actual hours of work of workers to ensure worker fatigue does not give rise to an unacceptable risk.

# 1.4 Alcohol and Other Drugs

Policy	The Work Health and Safety Act places an obligation on both the employer and the worker. If Rarekind People is aware, or should reasonably be aware, that an worker has an alcohol or drug related problem, it has a positive duty to take reasonable steps to protect that worker and others from injury, which might reasonably occur due to the acts of the affected worker. The worker has an obligation not to place at risk the health of another person at the workplace.
	Employers must ensure the health, safety and welfare of their workers. It is their obligation to ensure workers are capable of performing their work adequately and safely. Questionable performance, for whatever reason, will be identified and managed through application of this Policy.
	The aim of this Policy is to provide a safe working environment for all workers. A worker will be in breach of this Policy if they misuse alcohol or use any illegal drugs.
	The Policy also applies to the misuse and abuse of Over The Counter (OTC) or prescribed medication.
	Any worker found to be consuming alcohol or using illegal drugs, or bringing alcohol or illegal drugs onto the work site will be in breach of this policy and will constitute serious misconduct and involve severe disciplinary action, which may include termination of employment in accordance with Rarekind People's Discipline and Termination Policy.
Testing	Testing may be conducted after a significant incident or near-miss or after an accident involving a Rarekind People worker on a host employer's site. This testing will be conducted by an independent testing agency either at the Host Employer's site or at a location to be determined.
	The standard of 0.02% alcohol in the blood will be adopted as the standard for testing, unless a more stringent standard is in place at the Host Employer workplace.
	Other substances will be confirmed against the limit as recorded in the Australian Standard 4308 – 2001: Recommended Practice for the Collection, Detection and Quantification of Drugs of Abuse in Urine.
	Workers may choose to have a witness accompany them during the testing procedure, which will take place in a location ensuring the utmost privacy.
	Any worker who refuses either an alcohol or drug test will be treated as if they have returned a positive (alcohol) or non-negative (drugs) result.



	Any attempt to avoid or falsify any alcohol and/or other drug test will constitute serious misconduct and involve disciplinary procedures.	
	A worker who tests positive (alcohol) or non-negative (drugs) will be removed from the host employer's site and transport home will be arranged and paid for by Rarekind People.	
Reasons for Testing	Drug and/or Alcohol testing may be undertaken in the following circumstances:	
	Pre-employment	
	As part of a pre-commencement screening; and or	
	Upon re-employment of a worker after a sixty day absence.	

#### For Cause/Fitness for Work/Return to Work

- Where a Host Employer contacts Rarekind People to report that the performance of a Rarekind People worker suggests that they may be at risk through the presence of alcohol or other drugs.
- Where Rarekind People has information from a reliable and credible source that a worker has used, possessed, sold, solicited or transferred drugs whilst on a Host Employer's site.
- Upon finding evidence that a worker has tampered with a Drug Screen test and/or Alcohol Screen test.

#### Post Incident, Near-Miss or Reportable Incident

Where a reportable incident or near-miss has occurred in the workplace. to ensure that the person/s involved in the incident are not in breach of this Policy.

### **Testing Procedure**

#### **Alcohol**

A suitably trained and authorised person from an independent Testing Agency will conduct the alcohol testing procedure. Alcohol testing equipment will be calibrated according to the manufacturer's instructions and AS 3547-1997, or as amended and updated.

The following actions will be taken if a worker registers at or above 0.02% BAC:

- The worker will be retested after 15 minutes and before 1 hour. If the participant registers a level under 0.02 they will stay at work.
- If the BAC level is still over 0.02 the worker will be removed from the host employer's site and transport home will be arranged by Rarekind People.
- This will be treated as a breach of the Policy and will constitute serious misconduct and involve severe disciplinary procedures, which may include termination of employment.

#### **Drugs**

#### **Urine Sample Collection**

A suitably trained and authorised person from an independent Testing Agency will collect urine samples in accordance with the Recommended Practice for the Collection, Detection and Quantification of Drugs of Abuse in

If the test is negative, the worker will be returned to the work.

Where a non-negative result has been recorded, the worker will be removed from the host employer's site and transport home will be arranged by Rarekind People.

### **Confirmatory Testing**

Where a test result is non-negative, 2 samples (A) & (B) will be prepared:

Sample A will be prepared, sealed with tamper-proof tape and signed by the collector and the worker for dispatch to a nominated laboratory, certified to the Australian Standard (AS 4308-2001), for gas chromatography/mass spectrometry analysis.



	Sample B will be prepared, sealed with tamper-proof tape and signed by the collector and the participants for dispatch to a nominated laboratory for gas chromatography/ mass spectrometry analysis. This sample will be kept in a refrigerator at the laboratory for 12 months.
	If the confirmation test is positive, this will be treated as a breach of the Policy and will constitute serious misconduct and involve severe disciplinary procedures, which may include termination of employment.
	Prescribed or Over The Counter (OTC) Medication
	If a worker registers a non-negative result but has indicated to the tester that they are taking a prescribed or OTC medication, which could have caused the test to give a false non-negative, the tester should:
	Advise the worker that they are showing a non-negative result that is in line with the advice they have given relating to medication. The worker will be removed from the host employer's site and transported home.
	A urine sample sent to an appropriately certified laboratory to confirm that the substance that is giving a non-negative result correlates with the prescribed or OTC medication they have indicated.
	If the Lab results correlate with the information supplied by the participant no further action will be taken.
	If the Lab results indicate the worker has used an illegal substance or a substance to mask another drug, this will be treated as a breach of the Policy and will constitute serious misconduct and involve severe disciplinary procedures, in accordance with Rarekind People Discipline and Termination Policy, which may include termination of employment.
Host Employer Drug and Alcohol Policy	This policy is to be read in conjunction with any host employer's Drug and Alcohol Policy.
	To the extent of any inconsistency, this policy will prevail unless the host employer's policy includes standards of alcohol and drug readings requiring zero tolerance. In such cases, the host employer's standards will apply to workers under this Policy.
Privacy	Information is only collected in accordance with the requirements of the Alcohol and Other Drugs Policy and is done so to ensure the results of any drug screening process in which you participate are accurate. Rarekind People respects its workers' privacy and takes all reasonable steps to ensure any information obtained is secure.

# 1.5 Audiometric Testing – NSW Workers Only

Policy	To comply with Clause 58 of the NSW WHS Regulation, Workers who are placed in assignments that require the frequent use of hearing protection, must participate in a baseline hearing testing before commencement along with maintenance testing every 2 years. The purpose of these regular tests is to help prevent hearing loss in the workplace and the benefits include early detection of hearing loss, prevention of further hearing loss, and assessing the effectiveness of workplace noise controls.  Hearing protection must be worn by workers if hazardous noise cannot be controlled below the exposure standards set out in the regulation using higher-order controls.
	The exposure standard for noise is defined as:
	<ul> <li>an 8-hour equivalent continuous noise level of 85 dB(A), LAeq,8h 85 dB(A), or;</li> </ul>



	<ul> <li>a peak sound level of 140 dB(C), LC,peak 140 dB(C).</li> </ul>
	Declining to participate, omitting required information, or providing false information, may result in us being unable to continue to consider the worker for employment or, termination of their employment at a time in the future.
Reasons for Testing	Workers may be required to complete baseline and maintenance audiometric testing to comply with Clause 58 of the NSW WHS Regulation if their host employer requires them to frequently use hearing protection due to exceeding noise exposure standards.
Testing Procedure	Rarekind Consultants will coordinate with the worker to attend Audiometric Testing at an accredited hearing centre, local to the worker.
	The test is painless and non-invasive. It measures a person's ability to hear different sounds, pitches, and frequencies. The person's ears will be examined for any blockages that could affect the test and they will be asked about their past exposure to noise, both in and outside of work. During the procedure, the person tested is usually seated in a soundproof enclosure or booth, wearing headphones. The person is then asked to press a button every time they hear a sound through the headphones.
	Testing should be undertaken by a qualified person such as an audiologist, in accordance with AS/NZS 1269.4:2014 Occupational noise management – Auditory assessment.
	Baseline testing is to be completed prior to the worker commencing their assignment. Maintenance testing must be completed every 2 years following the baseline test, provided the worker is still placed within a role that requires the frequent use of hearing protection.
	A <b>baseline</b> (reference) hearing test establishes a worker's true hearing status before starting their employment. Baseline hearing tests should be completed before workers are exposed to hazardous noise at the workplace.
	A <b>monitoring</b> hearing test must be completed at least every two years during the workers employment. Results are compared to the workers baseline test to assess any change in the degree of hearing.
	Results are given to workers immediately after the hearing test, including an explanation of what the results mean. Subtle improvements or deterioration may be experienced when performing monitoring hearing tests during the workers employment. These shifts may not have any clinical significance.
	Threshold shifts that do have clinical significance are called significant threshold shifts as they can mean a temporary or



	permanent loss in hearing. Where a temporary threshold shift has been identified, a re-test must be completed on another day, after 16 hours in quiet conditions to determine if the threshold shift is permanent.  Once the test has been completed, the results are to be shared with Rarekind for review and approval prior to the commencement of the worker's assignment.
Host Employer Testing Policy	This policy is to be read in conjunction with any host employer's Audiometric Testing Policy.  To the extent of any inconsistency, this policy will prevail unless the host employer's policy varies in any way. In such cases, the host employer's standards will apply to employees under this Policy.
Privacy	Information is only collected in accordance with the requirements of the Audiometric Testing Policy and is done so to ensure the results of any Audiometric Testing process in which workers participate are accurate. Rarekind People agrees to provide copies of a worker's hearing tests when their employment ends, if requested by the worker.  Rarekind People respects its employees' privacy and takes all reasonable steps to ensure any information obtained is secure.

# 1.6 Smoking

Policy	Rarekind People is committed to the provision of a safe and healthy workplace. In the interest of good health and a safe working environment, all buildings, offices and company vehicles shall be designated as smoke free areas at all times. Our non-smoking policy is further detailed in the Rarekind People Human Resources Policy Manual.
	Teople Human Resources Folicy Manual.

# 1.7 Risk Management

Hazard Identification	The purpose of the hazard identification and risk management process is to ensure all hazards are identified and dealt with quickly and effectively to reduce the risk of causing injury or ill-health to workers.  Hazard identification can include observing, inspecting, enquiring and asking about something that has the potential to cause harm.
Procedures for reporting hazards on a client's site	If a Rarekind People worker attends a Host Employer site and identifies a hazard that prevents him or her from performing their required work safely, the Rarekind People worker must:
	<ul> <li>In the first instance, report the concern to the Host Rarekind People contact person (or job supervisor) to enable a control measure to be put in place to reduce the risk of injury or ill health.</li> </ul>
	If the Host Employer cannot ensure the safety of the Rarekind People worker and the worker still has concerns, then the Rarekind People worker must contact the Rarekind People Consultant via telephone or



	<ul> <li>email. All Temporary Workers are provided with the relevant consultant's mobile number. Phone numbers can be found on the Rarekind People website (<a href="www.rarekind.com.au">www.rarekind.com.au</a>). A response to the issue will be forthcoming.</li> <li>The Rarekind People Consultant will discuss the hazard and organise for a risk assessment/control strategy and then make a judgement call on whether to keep the worker at that location or direct them to leave the premises. The Rarekind People Consultant will reply to the worker initially by phone, but also via email.</li> </ul>
Risk Assessment	Risk Assessment is determining the likelihood of harm arising from exposure to any hazard. This is done by evaluating what could happen, how it could happen, how often if could happen, why it could happen, when it could happen and who could be affected. This may assist in determining if an activity in the workplace should cease immediately until suitable corrective action has been implemented.
Risk Control	Risk Control is developing and implementing a corrective action plan to reduce or eliminate exposure to the identified hazard.  It involves:  Elimination – remove the hazard or stop performing the function  Substitution – change the equipment or substance for a less hazardous one  Engineering – enclose or guard equipment  Administration – supervision, training, procedures or signage  Personal Protective Equipment (PPE) – includes gloves, goggles, earplugs and muffs, footwear and safety glasses.
Risk Monitoring	Risk monitoring is determining a way to ensure the controls implemented remain suitable and effective.
Workplace Checklists	Workplace checklists and job safety assessments are used to identify hazards and monitor control measures implemented to reduce exposure to hazards.  Workplace checklists remind workers of hazards present in the workplace.  Pre-operation/start-up checklists are used to ensure plant, equipment and tools are safe to use before commencing work.  Please make yourself aware of any site specific checklists at your workplace.

# 1.8 Accident, Incident and Investigation

Policy	Your observations and alertness are vital to workplace safety. In all circumstances you must report:  All workplace mishaps, incidents and near misses; and Injuries and illnesses.
Procedure	All incidents are to be:
	<ul> <li>Reported immediately to the Host Employer Manager to ensure that the gathering of evidence can start to take place as soon as possible after the incident has occurred. Follow first aid procedures if medical assistance is required.</li> </ul>
	Reported to the Rarekind People Consultant so he/she can attend the site and complete the Accident/Incident Report Form in consultation with the Temporary Worker and Host Employer Manager.
	When filling in the Accident/Incident Report Form, the investigator should look at the following aspects in an attempt to identify causes:
	<ul> <li>Work methods</li> </ul>
	<ul> <li>Work equipment</li> </ul>
	<ul> <li>Work climate</li> </ul>



	<ul> <li>Work environment</li> </ul>
	<ul> <li>Work organisation</li> </ul>
	<ul> <li>Worker</li> </ul>
	All sections where relevant should be completed and suggested control measure documented.
	<ul> <li>Incidents reportable to WorkCover will be handled in accordance with the procedures set out in the WHS Regulations 2011.</li> </ul>
	These reportable incidents will require photographs to accompany the investigation report.
	Incidents that resulted in Lost Time will be investigated within 48 hours and given a high priority to action identified control measures.
<b>Emergency Response</b>	Emergencies develop quickly. Your immediate response may be lifesaving.
	Know the name and contact details of your First Aid Officer. Know the emergency warning and evacuation procedures, location of fire extinguishers and hoses, exits, alarms, telephones and first aid equipment, and their correct uses.

## 1.9 Workers Compensation and Injury Management

Policy	Rarekind People is committed to the provision of an injury management program for the purpose of achieving optimum results in terms of a timely, safe and durable return to work for workers who sustain injury or illness in the course of their employment.  It is our policy that all accidents, incidents, injuries, near misses and work-related illnesses are reported.  If you incur an injury in the workplace, you must report it to the Host Employer Supervisor and your Rarekind People Consultant and/or Return To Work Coordinator as soon as possible.  Upon notification and initial medical treatment, the Consultant/ Return To Work Coordinator will advise the injured worker in respect of workers compensation claims and injury management procedure.
Procedure	<ul> <li>The role of the Return To Work Coordinator is to coordinate and liaise with all parties to assist in developing an Injury Management Plan with the aim to return injured workers to work.</li> <li>Workers must obtain a WorkCover Medical Certificate, from their Nominated Treating Doctor, upon receiving initial treatment for their injury.</li> <li>The Consultant/ Return To Work Coordinator will make personal contact with the injured worker for the purpose of completion of workers compensation claim forms and information in respect of further claim and injury management. This contact may include home and/or hospital visits.</li> <li>Workers must cooperate in developing an Injury Management Plan and actively participate until completion, where possible.</li> <li>Rarekind People insurers are AAI Limited ABN 48 005 297 807 trading as GIO.</li> <li>GIO will develop, in cooperation with Rarekind People, an Injury Management Plan for all injured workers.</li> <li>The treating Doctor will coordinate all aspects of the worker's treatment and return to work.</li> <li>A comprehensive step-by-step process is followed to ensure efficient and effective claim and injury management occurs resulting in timely, safe and durable return to work for injured workers.</li> </ul>
Contacts	The Workers Compensation and Injury Management Contact for Rarekind People Temporary Workers is:



Paris Barclay
WHS Coordinator
(02) 4935 3500 (business hours)

# **Workplace Safety for all Temporary Workers**

# 1.10 Workplace Signage

Policy	Always obey safety signs or notices; they are there to protect you.  Signs will advise you of the personal protective equipment or clothing to be worn.
	Danger signs will tell you about the hazards in your work area.  Emergency signs are to advise of emergency safety equipment and where it is kept.
	Caution signs show that there can be a danger or risk to your health.  Make sure you understand all workplace safety requirements and safe working procedures.

## 1.11 Manual Handling

Policy	Manual handling injuries are preventable, they can occur in any active or static task involving:
	Lifting
	Carrying
	Holding
	Pushing
	Pulling
	Bending or turning

### 1.12 Electrical Safety

Policy	Electrical repairs must be completed by a qualified electrician.  Never operate electrical equipment in damp, wet conditions, or where electrical safety could be compromised.
	Only approved, currently tested and tagged electrical extension leads and fittings are to be used.
	Check to see if earth leakage circuit breakers are required. In case of electrical incidents, isolate the power source if possible and notify your supervisor.

### 1.13 Slips, Trips and Falls

Policy	Good housekeeping can prevent these types of accidents:
	Traffic ways and aisles should be well lit and kept clear of materials, equipment, rubbish and electrical leads.
	Floors should be level and the use of mats discouraged. All spills should be cleared up immediately.
	Filing cabinets should not be placed so that they open into walkways.  Never leave the drawers open. Never open more that one drawer at a time.



# **Workplace Safety for Commercial/Administrative Temporary Workers**

### 1.14 Manual Handling in the Office

Policy	Commonly used items should be stored:
	According to bulk and weight
	In readily accessible areas
	Between knee and shoulder height
	Step ladders should be used NOT CHAIRS.

### 1.15 Office Ergonomics

Policy	Keyboard equipment that is not properly adjusted can cause workplace injuries. Check for the following:
	Chair is correct height for the work surface and the worker.
	Backrest is adjusted to suit the worker.
	Keyboard allows the forearm to be close to horizontal and the wrists to be straight.
	Screen is about an arm's length in distance away and is placed so the centre of the screen is about shoulder height.
	Glare can be reduced by tilting the screen down.

# Workplace Safety for Industrial/Trade Temporary Workers

### 1.16 Danger Tags

Danger tags warn you that equipment is unsafe and not operable.
Know the correct procedure at each site.
A tag may only be removed by the person who originally placed it and after the equipment has been repaired and is safe to use.

### 1.17 Clothing

Protective clothing can include overalls, pants, shirts, jackets, hats, footwear and other task specific items.
Clothing must be washed when soiled, so as to prevent rashes or dermatitis.
Long hair or jewellery could become entangled in moving parts of machinery.

### 1.18 Head and Eye Protection

	Head protection can include hard hats, wide brim hats, soft hats and hairnets.
	Eye protection includes safety glasses, goggles, face shields and fixed shields.
	Head and eye protection must be selected to reduce the risk of exposure to a
	hazard.

### 1.19 Noise Protection

Noise exposure is cumulative; your hearing could be being damaged without you realising.
Noisy environments are usually identified by warning signs.



		Noise protection includes disposable or moulded earplugs and earmuffs.
) Fo	oot Protection	
		Safety footwear, including boots, shoes, gumboots and overshoes protect against impact crushes, cuts and contamination.
		Footwear with holes, splits or damaged toecaps should be replaced.
		Some workplaces may require overshoes to be worn, these fit over normal shoes and safety footwear.
Sk	kin Protection	
		Exposure to substances and handling of different materials can cause cuts, punctures, irritations, burns, rashes, abrasions and bruises.
		Gloves protect hands and arms, but the types must be matched to the hazard. An incorrect glove could result in unnecessary injury.
26	espiratory Infection	
		Airborne hazards include dusts, fibres, chemical vapours, mists, fumes, aerosols, smoke and gases.
		Respirators protect against inhalation of hazardous substances.
		Check MSDS (Material Safety Data Sheets) and manufacturer's instructions.
ΡI	ant and Equipment	
		Only authorised personnel are to use plant and equipment.
		Only authorised personnel can perform maintenance on plant and equipment.
		If a machine that you are using requires maintenance or is faulty, you must isolate the power source, attach a danger tag and notify your supervisor of the problem.
Me	obile Plant and Equip	ment
		Don't allow pedestrians in mobile plant operating areas.
		Don't allow truck drivers to supervise the loading process while standing in the mobile plant operating zone, including on the truck or the opposite side of the truck.
		Don't lift people on the tynes of a forklift or pallet.
		Report and investigate all mobile plant incidents.
Ha	azardous Substances	
		Hazardous substances can be solid, liquid or gas and can be inhaled, ingested or absorbed. They may be tasteless, odourless, colourless, radioactive, toxic, corrosive, flammable, explosive, poisonous or infectious.
		Read the Material Safety Data Sheet (MSDS) before use, to get details on usage, handling, storage, protection and disposal.
		Wash face, arms and hands after exposure. Familiarise yourself with the location of the safety showers and eyewash units

Dirty earplugs should not be used.



#### 1.26 Confined Spaces

A confined space could be a vat, tank, pit, pipe, duct, flue, chimney, container, sewer, shaft, trench, tunnel, or any other similar enclosed structure.
Most workplaces that require personnel to enter confined spaces will have procedures established and they must be followed.

### 1.27 Work at Heights

Falls from heights are the most common cause of fatalities on building and constructions sites. Fall protection should be provided for all persons exposed to a fall of 2.0 metres or greater. However, risk assessment may suggest that fall protection is needed at a lower height.

You are not required to work in any situation where there is a risk of falling. The taking of risks will not be rewarded. Report all fall hazards you see on site. It is not practicable to work from a work platform if fall protection cannot be provided by perimeter guardrails, catch nets, or scaffolding.

An individual fall arrest system may be required. Ensure you are properly trained in the use any fall system before using.

#### 1.28 Outdoor Work

Hot environments require protection from heat stress, dehydration, and UV radiation damage to the skin and eyes.
Use SPF 30+ sun screen, UV resistant safety glasses and umbrellas and other shade devices where possible.
Increase your fluid intake and limit UV exposure between 10am to 3pm.

#### 1.29 Hot Work

Hot work includes welding, burning and use of lasers. These tasks can generate sparks, flames or excess heat, and are a recognised fire and explosion hazard.

Check the work area before commencing and obtain a permit. Eliminate or control all combustible sources.

Wear goggles, helmets, shields, gloves and aprons and gaiters as deemed appropriate.

#### 1.30 Excavation

	Excavation, trenching and tunnelling must be controlled by work permit.
	Install ladders at each end of trenches over one metre deep.
	Report discovery of any rupture or damage to underground pipes or services.

### 1.31 Thermal Stress

In hot workplaces the body dehydrates, and may not cool down, possibly resulting in heat stroke.
In cold workplaces body circulation and task dexterity decrease.
Intolerance to thermal extremes can produce sudden and serious health effects.
Follow the correct safety procedures, take rest breaks and report concerns early.

